

# EXHIBITS A1-A6

## (Part 1 of 13)

**TABLE OF CONTENTS**

<b>Exhibit</b>	<b>Page</b>
A1 – Arista’s Verbatim Copying of Cisco’s Multi-word Command Expressions	2
A2 – Arista’s Verbatim Copying of Cisco’s Help Descriptions	19
A3 – Arista’s Verbatim Copying of Cisco’s Command Responses	38
A4 – Arista’s Verbatim Copying of Cisco’s Technical Documentation	79
A5 – Arista’s Verbatim Copying of Cisco’s Modes & Prompts	447
A6 – Arista’s Verbatim Copying of Cisco’s Command Hierarchies	448

**EXHIBIT A1****ARISTA'S VERBATIM COPYING OF CISCO'S MULTI-WORD COMMAND EXPRESSIONS**

<b>Cisco's Multi-Word Command Expressions</b>	<b>Arista's Multi-Word Command Expressions</b>	<b>Supporting Evidence In The Record</b>
aaa accounting	aaa accounting	Dkt. 332-2 at PDF p. 107
aaa accounting dot1x	aaa accounting dot1x	Dkt. 332-2 at PDF p. 107
aaa authentication login	aaa authentication login	Dkt. 332-2 at PDF p. 108
aaa authorization config- commands	aaa authorization config- commands	Dkt. 332-2 at PDF p. 108
aaa authorization console	aaa authorization console	Dkt. 332-2 at PDF p. 108
aaa group server radius	aaa group server radius	Dkt. 332-2 at PDF p. 109
aaa group server tacacs+	aaa group server tacacs+	Dkt. 332-2 at PDF p. 109
address-family	address-family	Dkt. 332-2 at PDF p. 109
aggregate-address	aggregate-address	Dkt. 332-2 at PDF p. 110
area default-cost	area default-cost (OSPFv3) <sup>1</sup>	Dkt. 332-2 at PDF p. 110
area default-cost	area default-cost (OSPFv2)	Dkt. 332-2 at PDF p. 110
area nssa	area nssa (OSPFv2)	Dkt. 332-2 at PDF p. 111
area nssa	area nssa (OSPFv3)	Dkt. 332-2 at PDF p. 111
area nssa default- information-originate	area nssa default- information-originate (OSPFv2)	Dkt. 332-2 at PDF p. 111
area nssa default- information-originate	area nssa default- information-originate (OSPFv3)	Dkt. 332-2 at PDF p. 111
area nssa no-summary	area nssa no-summary (OSPFv2)	Dkt. 332-2 at PDF p. 112
area nssa translate type7 always	area nssa translate type7 always (OSPFv2)	Dkt. 332-2 at PDF p. 112
area nssa translate type7 always	area nssa translate type7 always (OSPFv3)	Dkt. 332-2 at PDF p. 112
area range	area range (OSPFv3)	Dkt. 332-2 at PDF p. 112
area range	area range (OSPFv2)	Dkt. 332-2 at PDF p. 113
area stub	area stub (OSPFv2)	Dkt. 332-2 at PDF p. 113
area stub	area stub (OSPFv3)	Dkt. 332-2 at PDF p. 113

<sup>1</sup> The use of the qualifiers "OSPFv3" or "OSPFv2" (or other qualifiers) in certain instances indicates the routing mode and does not impact the verbatim copying because it does not change the command expression that Arista copied from Cisco.

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
arp timeout	arp timeout	Dkt. 332-2 at PDF p. 113
banner login	banner login	Dkt. 332-2 at PDF p. 114
banner motd	banner motd	Dkt. 332-2 at PDF p. 114
bfd all-interfaces	bfd all-interfaces	Dkt. 332-2 at PDF p. 114
bgp client-to-client reflection	bgp client-to-client reflection	Dkt. 332-2 at PDF p. 114
bgp cluster-id	bgp cluster-id	Dkt. 332-2 at PDF p. 115
bgp confederation identifier	bgp confederation identifier	Dkt. 332-2 at PDF p. 115
bgp confederation peers	bgp confederation peers	Dkt. 332-2 at PDF p. 115
bgp listen limit	bgp listen limit	Dkt. 332-2 at PDF p. 115
bgp log-neighbor-changes	bgp log-neighbor-changes	Dkt. 332-2 at PDF p. 116
bgp redistribute-internal	bgp redistribute-internal (BGP)	Dkt. 332-2 at PDF p. 116
boot system	boot system	Dkt. 332-2 at PDF p. 116
channel-group	channel-group	Dkt. 332-2 at PDF p. 117
class-map type control-plane	class-map type control-plane	Dkt. 332-2 at PDF p. 117
clear arp-cache	clear arp-cache	Dkt. 332-2 at PDF p. 117
clear counters	clear counters	Dkt. 332-2 at PDF p. 118
clear ip arp	clear ip arp	Dkt. 332-2 at PDF p. 118
clear ip bgp	clear ip bgp	Dkt. 332-2 at PDF p. 118
clear ip igmp group	clear ip igmp group	Dkt. 332-2 at PDF p. 119
clear ip mroute	clear ip mroute	Dkt. 332-2 at PDF p. 119
clear ip msdp sa-cache	clear ip msdp sa-cache	Dkt. 332-2 at PDF p. 119
clear ip nat translation	clear ip nat translation	Dkt. 332-2 at PDF p. 119
clear ip ospf neighbor	clear ip ospf neighbor	Dkt. 332-2 at PDF p. 120
clear ipv6 neighbors	clear ipv6 neighbors	Dkt. 332-2 at PDF p. 120
clear ipv6 ospf force-spf	clear ipv6 ospf force-spf	Dkt. 332-2 at PDF p. 120
clear lldp counters	clear lldp counters	Dkt. 332-2 at PDF p. 120
clear lldp table	clear lldp table	Dkt. 332-2 at PDF p. 121
clear mac-address-table dynamic	clear mac address-table dynamic	Dkt. 332-2 at PDF p. 121
clear spanning-tree counters	clear spanning-tree counters	Dkt. 332-2 at PDF p. 121
clock set	clock set	Dkt. 332-2 at PDF p. 122
clock timezone	clock timezone	Dkt. 332-2 at PDF p. 122

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
control-plane	control-plane	Dkt. 332-2 at PDF p. 122
default-information originate (OSPF)	default-information originate (OSPFv2)	Dkt. 332-2 at PDF p. 123
default-information originate (OSPFv3)	default-information originate (OSPFv3)	Dkt. 332-2 at PDF p. 123
default-metric (OSPFv3)	default-metric (OSPFv3)	Dkt. 332-2 at PDF p. 123
distance bgp	distance bgp	Dkt. 332-2 at PDF p. 124
domain-id	domain-id	Dkt. 332-2 at PDF p. 124
dot1x max-reauth-req	dot1x max-reauth-req	Dkt. 332-2 at PDF p. 124
dot1x pae authenticator	dot1x pae authenticator	Dkt. 332-2 at PDF p. 124
dot1x port-control	dot1x port-control	Dkt. 332-2 at PDF p. 125
dot1x reauthentication	dot1x reauthentication	Dkt. 332-2 at PDF p. 125
dot1x system-auth-control	dot1x system-auth-control	Dkt. 332-2 at PDF p. 125
dot1x timeout quiet-period	dot1x timeout quiet-period	Dkt. 332-2 at PDF p. 125
dot1x timeout reauth-period	dot1x timeout reauth-period	Dkt. 332-2 at PDF p. 125
dot1x timeout tx-period	dot1x timeout tx-period	Dkt. 332-2 at PDF p. 125
enable secret	enable secret	Dkt. 332-2 at PDF p. 126
erase startup-config	erase startup-config	Dkt. 332-2 at PDF p. 126
errdisable detect cause link- flap	errdisable detect cause link- flap	Dkt. 332-2 at PDF p. 126
errdisable recovery cause	errdisable recovery cause	Dkt. 332-2 at PDF p. 127
errdisable recovery interval	errdisable recovery interval	Dkt. 332-2 at PDF p. 127
flowcontrol receive	flowcontrol receive	Dkt. 332-2 at PDF p. 127
flowcontrol send	flowcontrol send	Dkt. 332-2 at PDF p. 127
interface ethernet	interface ethernet	Dkt. 332-2 at PDF p. 128
interface loopback	interface loopback	Dkt. 332-2 at PDF p. 128
interface port-channel	interface port-channel	Dkt. 332-2 at PDF p. 128
interface vlan	interface vlan	Dkt. 332-2 at PDF p. 129
ip access-group	ip access-group	Dkt. 332-2 at PDF p. 129
ip access-list	ip access-list	Dkt. 332-2 at PDF p. 129
ip access-list standard	ip access-list standard	Dkt. 332-2 at PDF p. 130
ip address	ip address	Dkt. 332-2 at PDF p. 130
ip as-path access-list	ip as-path access-list	Dkt. 332-2 at PDF p. 130
ip community-list expanded	ip community-list expanded	Dkt. 332-2 at PDF p. 131

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
ip community-list standard	ip community-list standard	Dkt. 332-2 at PDF p. 131
ip dhcp smart-relay	ip dhcp smart-relay	Dkt. 332-2 at PDF p. 131
ip dhcp smart-relay global	ip dhcp smart-relay global	Dkt. 332-2 at PDF p. 131
ip dhcp snooping	ip dhcp snooping	Dkt. 332-2 at PDF p. 131
ip dhcp snooping information option	ip dhcp snooping information option	Dkt. 332-2 at PDF p. 132
ip dhcp snooping vlan	ip dhcp snooping vlan	Dkt. 332-2 at PDF p. 132
ip domain lookup	ip domain lookup	Dkt. 332-2 at PDF p. 132
ip domain name	ip domain-name	Dkt. 332-2 at PDF p. 132
ip extcommunity-list expanded	ip extcommunity-list expanded	Dkt. 332-2 at PDF p. 133
ip extcommunity-list standard	ip extcommunity-list standard	Dkt. 332-2 at PDF p. 133
ip helper-address	ip helper-address	Dkt. 332-2 at PDF p. 133
ip host	ip host	Dkt. 332-2 at PDF p. 133
ip http client source-interface	ip http client source-interface	Dkt. 332-2 at PDF p. 134
ip icmp redirect	ip icmp redirect	Dkt. 332-2 at PDF p. 134
ip igmp last-member-query- count	ip igmp last-member-query-count	Dkt. 332-2 at PDF p. 134
ip igmp last-member-query- interval	ip igmp last-member-query-interval	Dkt. 332-2 at PDF p. 134
ip igmp query-interval	ip igmp query-interval	Dkt. 332-2 at PDF p. 135
ip igmp query-max-response- time	ip igmp query-max-response-time	Dkt. 332-2 at PDF p. 135
ip igmp snooping	ip igmp snooping	Dkt. 332-2 at PDF p. 135
ip igmp snooping querier	ip igmp snooping querier	Dkt. 332-2 at PDF p. 136
ip igmp snooping vlan	ip igmp snooping vlan	Dkt. 332-2 at PDF p. 136
ip igmp snooping vlan immediate-leave	ip igmp snooping vlan immediate-leave	Dkt. 332-2 at PDF p. 136
ip igmp snooping vlan mrouter	ip igmp snooping vlan mrouter	Dkt. 332-2 at PDF p. 137
ip igmp snooping vlan static	ip igmp snooping vlan static	Dkt. 332-2 at PDF p. 137
ip igmp startup-query- interval	ip igmp startup-query-interval	Dkt. 332-2 at PDF p. 137
ip igmp startup-query-count	ip igmp startup-query-count	Dkt. 332-2 at PDF p. 138
ip igmp static-group	ip igmp static-group	Dkt. 332-2 at PDF p. 138
ip igmp version	ip igmp version	Dkt. 332-2 at PDF p. 138
ip load-sharing	ip load-sharing	Dkt. 332-2 at PDF p. 139
ip local-proxy-arp	ip local-proxy-arp	Dkt. 332-2 at PDF p. 139
ip msdp cache-sa-state	ip msdp cache-sa-state	Dkt. 332-2 at PDF p. 139

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
ip msdp default-peer	ip msdp default-peer	Dkt. 332-2 at PDF p. 139
ip msdp description	ip msdp description	Dkt. 332-2 at PDF p. 140
ip msdp group-limit	ip msdp group-limit	Dkt. 332-2 at PDF p. 140
ip msdp keepalive	ip msdp keepalive	Dkt. 332-2 at PDF p. 140
ip msdp mesh-group	ip msdp mesh-group	Dkt. 332-2 at PDF p. 140
ip msdp originator-id	ip msdp originator-id	Dkt. 332-2 at PDF p. 141
ip msdp peer	ip msdp peer	Dkt. 332-2 at PDF p. 141
ip msdp sa-filter in	ip msdp sa-filter in	Dkt. 332-2 at PDF p. 141
ip msdp sa-filter out	ip msdp sa-filter out	Dkt. 332-2 at PDF p. 141
ip msdp sa-limit	ip msdp sa-limit	Dkt. 332-2 at PDF p. 142
ip msdp shutdown	ip msdp shutdown	Dkt. 332-2 at PDF p. 142
ip msdp timer	ip msdp timer	Dkt. 332-2 at PDF p. 142
ip multicast boundary	ip multicast boundary	Dkt. 332-2 at PDF p. 142
ip multicast-routing	ip multicast-routing	Dkt. 332-2 at PDF p. 143
ip name-server	ip name-server	Dkt. 332-2 at PDF p. 143
ip nat pool	ip nat pool	Dkt. 332-2 at PDF p. 143
ip nat translation tcp-timeout	ip nat translation tcp-timeout	Dkt. 332-2 at PDF p. 143
ip nat translation udp-timeout	ip nat translation udp- timeout	Dkt. 332-2 at PDF p. 144
ip ospf authentication	ip ospf authentication	Dkt. 332-2 at PDF p. 144
ip ospf authentication-key	ip ospf authentication-key	Dkt. 332-2 at PDF p. 144
ip ospf bfd	ip ospf bfd	Dkt. 332-2 at PDF p. 144
ip ospf cost	ip ospf cost	Dkt. 332-2 at PDF p. 145
ip ospf dead-interval	ip ospf dead-interval	Dkt. 332-2 at PDF p. 145
ip ospf hello-interval	ip ospf hello-interval	Dkt. 332-2 at PDF p. 145
ip ospf message-digest-key	ip ospf message-digest-key	Dkt. 332-2 at PDF p. 146
ip ospf name-lookup	ip ospf name-lookup	Dkt. 332-2 at PDF p. 146
ip ospf network	ip ospf network	Dkt. 332-2 at PDF p. 146
ip ospf priority	ip ospf priority	Dkt. 332-2 at PDF p. 147
ip ospf retransmit-interval	ip ospf retransmit-interval	Dkt. 332-2 at PDF p. 147
ip ospf shutdown	ip ospf shutdown	Dkt. 332-2 at PDF p. 147
ip ospf transmit-delay	ip ospf transmit-delay	Dkt. 332-2 at PDF p. 148

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
ip pim anycast-rp	ip pim anycast-rp	Dkt. 332-2 at PDF p. 148
ip pim bfd	ip pim bfd	Dkt. 332-2 at PDF p. 148
ip pim bfd-instance	ip pim bfd-instance	Dkt. 332-2 at PDF p. 148
ip pim bsr-border	ip pim bsr-border	Dkt. 332-2 at PDF p. 149
ip pim bsr-candidate	ip pim bsr-candidate	Dkt. 332-2 at PDF p. 149
ip pim dr-priority	ip pim dr-priority	Dkt. 332-2 at PDF p. 149
ip pim log-neighbor-changes	ip pim log-neighbor-changes	Dkt. 332-2 at PDF p. 149
ip pim neighbor-filter	ip pim neighbor-filter	Dkt. 332-2 at PDF p. 150
ip pim query-interval	ip pim query-interval	Dkt. 332-2 at PDF p. 150
ip pim register-source	ip pim register-source	Dkt. 332-2 at PDF p. 150
ip pim rp-address	ip pim rp-address	Dkt. 332-2 at PDF p. 151
ip pim rp-candidate	ip pim rp-candidate	Dkt. 332-2 at PDF p. 151
ip pim sparse-mode	ip pim sparse-mode	Dkt. 332-2 at PDF p. 151
ip pim spt-threshold	ip pim spt-threshold	Dkt. 332-2 at PDF p. 152
ip pim spt-threshold group-list	ip pim spt-threshold group-list	Dkt. 332-2 at PDF p. 152
ip pim ssm range	ip pim ssm range	Dkt. 332-2 at PDF p. 152
ip prefix-list	ip prefix-list	Dkt. 332-2 at PDF p. 152
ip protocol	ip protocol (Monitor Reachability Probe Transmitter)	Dkt. 332-2 at PDF p. 153
ip proxy-arp	ip proxy-arp	Dkt. 332-2 at PDF p. 153
ip radius source-interface	ip radius source-interface	Dkt. 332-2 at PDF p. 153
ip rip v2-broadcast	ip rip v2-broadcast	Dkt. 332-2 at PDF p. 153
ip route	ip route	Dkt. 332-2 at PDF p. 154
ip routing	ip routing	Dkt. 332-2 at PDF p. 154
ip tacacs source-interface	ip tacacs source-interface	Dkt. 332-2 at PDF p. 154
ipv6 access-list	ipv6 access-list	Dkt. 332-2 at PDF p. 155
ipv6 address	ipv6 address	Dkt. 332-2 at PDF p. 155
ipv6 dhcp relay destination	ipv6 dhcp relay destination	Dkt. 332-2 at PDF p. 155
ipv6 enable	ipv6 enable	Dkt. 332-2 at PDF p. 156
ipv6 host	ipv6 host	Dkt. 332-2 at PDF p. 156
ipv6 access-group	ipv6 access-group	Dkt. 332-2 at PDF p. 156
ipv6 nd managed-config-flag	ipv6 nd managed-config-flag	Dkt. 332-2 at PDF p. 156



Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
ipv6 nd ns-interval	ipv6 nd ns-interval	Dkt. 332-2 at PDF p. 157
ipv6 nd other-config-flag	ipv6 nd other-config-flag	Dkt. 332-2 at PDF p. 157
ipv6 nd prefix	ipv6 nd prefix	Dkt. 332-2 at PDF p. 157
ipv6 nd ra interval	ipv6 nd ra interval	Dkt. 332-2 at PDF p. 158
ipv6 nd ra lifetime	ipv6 nd ra lifetime	Dkt. 332-2 at PDF p. 158
ipv6 nd ra suppress	ipv6 nd ra suppress	Dkt. 332-2 at PDF p. 158
ipv6 nd reachable-time	ipv6 nd reachable-time	Dkt. 332-2 at PDF p. 159
ipv6 nd router-preference	ipv6 nd router-preference	Dkt. 332-2 at PDF p. 159
ipv6 neighbor	ipv6 neighbor	Dkt. 332-2 at PDF p. 159
ipv6 ospf area	ipv6 ospf area	Dkt. 332-2 at PDF p. 160
ipv6 ospf cost	ipv6 ospf cost	Dkt. 332-2 at PDF p. 160
ipv6 ospf dead-interval	ipv6 ospf dead-interval	Dkt. 332-2 at PDF p. 160
ipv6 ospf hello-interval	ipv6 ospf hello-interval	Dkt. 332-2 at PDF p. 160
ipv6 ospf network	ipv6 ospf network	Dkt. 332-2 at PDF p. 161
ipv6 ospf priority	ipv6 ospf priority	Dkt. 332-2 at PDF p. 161
ipv6 ospf retransmit-interval	ipv6 ospf retransmit-interval	Dkt. 332-2 at PDF p. 161
ipv6 ospf transmit-delay	ipv6 ospf transmit-delay	Dkt. 332-2 at PDF p. 161
ipv6 prefix-list	ipv6 prefix-list	Dkt. 332-2 at PDF p. 162
ipv6 route	ipv6 route	Dkt. 332-2 at PDF p. 162
ipv6 router ospf	ipv6 router ospf	Dkt. 332-2 at PDF p. 162
ipv6 unicast-routing	ipv6 unicast-routing	Dkt. 332-2 at PDF p. 162
isis hello-interval	isis hello-interval	Dkt. 332-2 at PDF p. 163
isis hello-multiplier	isis hello-multiplier	Dkt. 332-2 at PDF p. 163
isis lsp-interval	isis lsp-interval	Dkt. 332-2 at PDF p. 163
isis metric	isis metric	Dkt. 332-2 at PDF p. 163
isis passive	isis passive	Dkt. 332-2 at PDF p. 163
isis passive interface	passive-interface (IS-IS)	Dkt. 332-2 at PDF p. 164
isis priority	isis priority	Dkt. 332-2 at PDF p. 164
is-type	is-type	Dkt. 332-2 at PDF p. 164
lacp port-priority	lacp port-priority	Dkt. 332-2 at PDF p. 164
lacp rate	lacp rate	Dkt. 332-2 at PDF p. 165

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
lACP system-priority	lACP system-priority	Dkt. 332-2 at PDF p. 165
link state group	link state group	Dkt. 332-2 at PDF p. 165
link state track	link state track	Dkt. 332-2 at PDF p. 166
lldp holdtime	lldp holdtime	Dkt. 332-2 at PDF p. 166
lldp receive	lldp receive	Dkt. 332-2 at PDF p. 166
lldp reinit	lldp reinit	Dkt. 332-2 at PDF p. 166
lldp run	lldp run	Dkt. 332-2 at PDF p. 167
lldp timer	lldp timer	Dkt. 332-2 at PDF p. 167
lldp tlv-select	lldp tlv-select	Dkt. 332-2 at PDF p. 167
lldp transmit	lldp transmit	Dkt. 332-2 at PDF p. 167
load interval	load interval	Dkt. 332-2 at PDF p. 168
log-adjacency-changes	log-adjacency-changes (OSPFv2)	Dkt. 332-2 at PDF p. 168
log-adjacency-changes (IS- IS)	log-adjacency-changes (IS- IS)	Dkt. 332-2 at PDF p. 168
log-adjacency-changes (OSPFv3)	log-adjacency-changes (OSPFv3)	Dkt. 332-2 at PDF p. 169
logging host	logging host	Dkt. 332-2 at PDF p. 169
mac access-group	mac access-group	Dkt. 332-2 at PDF p. 169
mac access-list	mac access-list	Dkt. 332-2 at PDF p. 170
mac address-table aging-time	mac address-table aging-time	Dkt. 332-2 at PDF p. 170
mac address-table static	mac address-table static	Dkt. 332-2 at PDF p. 170
mac-address	mac-address	Dkt. 332-2 at PDF p. 171
maximum-paths	maximum-paths (OSPF)	Dkt. 332-2 at PDF p. 171
maximum-paths (OSPFv3)	maximum-paths (OSPFv3)	Dkt. 332-2 at PDF p. 171
neighbor activate	neighbor activate	Dkt. 332-2 at PDF p. 172
neighbor allowas-in	neighbor allowas-in	Dkt. 332-2 at PDF p. 172
neighbor default-originate	neighbor default-originate	Dkt. 332-2 at PDF p. 172
neighbor description	neighbor description	Dkt. 332-2 at PDF p. 172
neighbor ebgp-multihop	neighbor ebgp-multihop	Dkt. 332-2 at PDF p. 173
neighbor fall-over bfd	neighbor fall-over bfd	Dkt. 332-2 at PDF p. 173
neighbor local-as	neighbor local-as	Dkt. 332-2 at PDF p. 173
neighbor next-hop-self	neighbor next-hop-self	Dkt. 332-2 at PDF p. 173
neighbor password	neighbor password	Dkt. 332-2 at PDF p. 174

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
neighbor peer-group (assigning members)	neighbor peer-group (neighbor assignment)	Dkt. 332-2 at PDF p. 174
neighbor peer-group (creating)	neighbor peer-group (create)	Dkt. 332-2 at PDF p. 174
neighbor remote-as	neighbor remote-as	Dkt. 332-2 at PDF p. 175
neighbor remove-private-as	neighbor remove-private-as	Dkt. 332-2 at PDF p. 175
neighbor route-map	neighbor route-map (BGP)	Dkt. 332-2 at PDF p. 175
neighbor route-reflector- client	neighbor route-reflector-client	Dkt. 332-2 at PDF p. 176
neighbor send-community	neighbor send-community	Dkt. 332-2 at PDF p. 176
neighbor shutdown	neighbor shutdown	Dkt. 332-2 at PDF p. 176
neighbor soft-reconfiguration	neighbor soft-reconfiguration	Dkt. 332-2 at PDF p. 176
neighbor timers	neighbor timers	Dkt. 332-2 at PDF p. 177
neighbor transport connection-mode	neighbor transport connection-mode	Dkt. 332-2 at PDF p. 177
neighbor update-source	neighbor update-source	Dkt. 332-2 at PDF p. 177
neighbor weight	neighbor weight	Dkt. 332-2 at PDF p. 177
network area	network area (OSPFv2)	Dkt. 332-2 at PDF p. 178
no snmp-server	no snmp-server	Dkt. 332-2 at PDF p. 178
ntp authenticate	ntp authenticate	Dkt. 332-2 at PDF p. 178
ntp authentication-key	ntp authentication-key	Dkt. 332-2 at PDF p. 178
ntp server	ntp server	Dkt. 332-2 at PDF p. 179
ntp source	ntp source	Dkt. 332-2 at PDF p. 179
ntp trusted-key	ntp trusted-key	Dkt. 332-2 at PDF p. 179
passive-interface	passive-interface <interface> (OSPFv2)	Dkt. 332-2 at PDF p. 179
passive-interface (OSPFv3)	passive-interface (OSPFv3)	Dkt. 332-2 at PDF p. 180
passive-interface default	passive-interface default (OSPFv2)	Dkt. 332-2 at PDF p. 180
policy-map type control- plane	policy-map type control-plane	Dkt. 332-2 at PDF p. 180
policy-map type qos	policy-map type qos	Dkt. 332-2 at PDF p. 180
port-channel load-balance	port-channel load-balance	Dkt. 332-2 at PDF p. 181
port-channel min-links	port-channel min-links	Dkt. 332-2 at PDF p. 181
priority1	ptp priority1	Dkt. 332-2 at PDF p. 181
priority2	ptp priority2	Dkt. 332-2 at PDF p. 181
priority-flow-control mode	priority-flow-control mode	Dkt. 332-2 at PDF p. 182
private-vlan	private-vlan	Dkt. 332-2 at PDF p. 182

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
private-vlan mapping	private-vlan mapping	Dkt. 332-2 at PDF p. 182
ptp domain	ptp domain	Dkt. 332-2 at PDF p. 182
ptp sync interval	ptp sync interval	Dkt. 332-2 at PDF p. 183
radius-server deadtime	radius-server deadtime	Dkt. 332-2 at PDF p. 183
radius-server host	radius-server host	Dkt. 332-2 at PDF p. 183
radius-server key	radius-server key	Dkt. 332-2 at PDF p. 184
radius-server retransmit	radius-server retransmit	Dkt. 332-2 at PDF p. 184
radius-server timeout	radius-server timeout	Dkt. 332-2 at PDF p. 184
redundancy force-switchover	redundancy force-switchover	Dkt. 332-2 at PDF p. 185
route-map	route-map	Dkt. 332-2 at PDF p. 185
router bgp	router bgp	Dkt. 332-2 at PDF p. 185
router isis	router isis	Dkt. 332-2 at PDF p. 186
router ospf	router ospf	Dkt. 332-2 at PDF p. 186
router rip	router rip	Dkt. 332-2 at PDF p. 186
router-id	router-id (OSPFv2)	Dkt. 332-2 at PDF p. 187
router-id (OSPFv3)	router-id (OSPFv3)	Dkt. 332-2 at PDF p. 187
routing-context vrf	routing-context vrf	Dkt. 332-2 at PDF p. 187
service sequence-numbers	service sequence-numbers	Dkt. 332-2 at PDF p. 187
set-overload-bit	set-overload-bit	Dkt. 332-2 at PDF p. 188
show aaa method-lists	show aaa method-lists	Dkt. 332-2 at PDF p. 188
show aaa sessions	show aaa sessions	Dkt. 332-2 at PDF p. 188
show arp	show arp	Dkt. 332-2 at PDF p. 189
show bfd neighbors	show bfd neighbors	Dkt. 332-2 at PDF p. 189
show clock	show clock	Dkt. 332-2 at PDF p. 189
show dot1q-tunnel	show dot1q-tunnel	Dkt. 332-2 at PDF p. 189
show dot1x	show dot1x	Dkt. 332-2 at PDF p. 190
show dot1x all summary	show dot1x all summary	Dkt. 332-2 at PDF p. 190
show dot1x statistics	show dot1x statistics	Dkt. 332-2 at PDF p. 190
show environment all	show environment all	Dkt. 332-2 at PDF p. 190
show environment cooling	show environment cooling	Dkt. 332-2 at PDF p. 191
show environment power	show environment power	Dkt. 332-2 at PDF p. 191

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
show environment temperature	show environment temperature	Dkt. 332-2 at PDF p. 191
show etherchannel	show etherchannel	Dkt. 332-2 at PDF p. 192
show hostname	show hostname	Dkt. 332-2 at PDF p. 192
show hosts	show hosts	Dkt. 332-2 at PDF p. 192
show interfaces	show interfaces	Dkt. 332-2 at PDF p. 192
show interfaces capabilities	show interfaces capabilities	Dkt. 332-2 at PDF p. 193
show interfaces description	show interfaces description	Dkt. 332-2 at PDF p. 193
show interfaces flowcontrol	show flowcontrol	Dkt. 332-2 at PDF p. 193
show interfaces private-vlan mapping	show interfaces private-vlan mapping	Dkt. 332-2 at PDF p. 194
show interfaces status	show interfaces status	Dkt. 332-2 at PDF p. 194
show interfaces switchport	show interfaces switchport	Dkt. 332-2 at PDF p. 194
show interfaces switchport backup	show interfaces switchport backup	Dkt. 332-2 at PDF p. 195
show interfaces transceiver	show interfaces transceiver	Dkt. 332-2 at PDF p. 195
show interfaces trunk	show interfaces trunk	Dkt. 332-2 at PDF p. 195
show inventory	show inventory	Dkt. 332-2 at PDF p. 196
show ip access-lists	show ip access-lists	Dkt. 332-2 at PDF p. 196
show ip arp	show ip arp	Dkt. 332-2 at PDF p. 196
show ip bgp	show ip bgp	Dkt. 332-2 at PDF p. 197
show ip bgp community	show ip bgp community	Dkt. 332-2 at PDF p. 197
show ip bgp neighbors	show ip bgp neighbors (route type)	Dkt. 332-2 at PDF p. 197
show ip bgp neighbors	show ip bgp neighbors	Dkt. 332-2 at PDF p. 198
show ip bgp paths	show ip bgp paths	Dkt. 332-2 at PDF p. 198
show ip bgp peer-group	show ip bgp peer-group	Dkt. 332-2 at PDF p. 198
show ip bgp regexp	show ip bgp regexp	Dkt. 332-2 at PDF p. 198
show ip bgp summary	show ip bgp summary	Dkt. 332-2 at PDF p. 199
show ip community-list	show ip community-list	Dkt. 332-2 at PDF p. 199
show ip dhcp snooping	show ip dhcp snooping	Dkt. 332-2 at PDF p. 199
show ip extcommunity-list	show ip extcommunity-list	Dkt. 332-2 at PDF p. 199
show ip helper-address	show ip helper-address	Dkt. 332-2 at PDF p. 200
show ip igmp groups	show ip igmp groups	Dkt. 332-2 at PDF p. 200
show ip igmp interface	show ip igmp interface	Dkt. 332-2 at PDF p. 200

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
show ip igmp snooping	show ip igmp snooping	Dkt. 332-2 at PDF p. 201
show ip igmp snooping groups	show ip igmp snooping groups	Dkt. 332-2 at PDF p. 201
show ip igmp snooping mrouter	show ip igmp snooping mrouter	Dkt. 332-2 at PDF p. 201
show ip igmp snooping querier	show ip igmp snooping querier	Dkt. 332-2 at PDF p. 202
show ip interface	show ip interface	Dkt. 332-2 at PDF p. 202
show ip interface brief	show ip interface brief	Dkt. 332-2 at PDF p. 202
show ip mfib	show ip mfib	Dkt. 332-2 at PDF p. 203
show ip mroute	show ip mroute	Dkt. 332-2 at PDF p. 203
show ip mroute count	show ip mroute count	Dkt. 332-2 at PDF p. 203
show ip msdp mesh-group	show ip msdp mesh-group	Dkt. 332-2 at PDF p. 204
show ip msdp peer	show ip msdp peer	Dkt. 332-2 at PDF p. 204
show ip msdp rpf-peer	show ip msdp rpf-peer	Dkt. 332-2 at PDF p. 204
show ip msdp sa-cache	show ip msdp sa-cache	Dkt. 332-2 at PDF p. 204
show ip msdp summary	show ip msdp summary	Dkt. 332-2 at PDF p. 205
show ip nat translations	show ip nat translations	Dkt. 332-2 at PDF p. 205
show ip ospf	show ip ospf	Dkt. 332-2 at PDF p. 205
show ip ospf border-routers	show ip ospf border-routers	Dkt. 332-2 at PDF p. 205
show ip ospf database database-summary	show ip ospf database database-summary	Dkt. 332-2 at PDF p. 206
show ip ospf interface	show ip ospf interface	Dkt. 332-2 at PDF p. 206
show ip ospf neighbor	show ip ospf neighbor	Dkt. 332-2 at PDF p. 206
show ip ospf request-list	show ip ospf request-list	Dkt. 332-2 at PDF p. 207
show ip ospf retransmission- list	show ip ospf retransmission-list	Dkt. 332-2 at PDF p. 207
show ip pim interface	show ip pim interface	Dkt. 332-2 at PDF p. 207
show ip pim neighbor	show ip pim neighbor	Dkt. 332-2 at PDF p. 208
show ip pim rp	show ip pim rp	Dkt. 332-2 at PDF p. 208
show ip pim rp-hash	show ip pim rp-hash	Dkt. 332-2 at PDF p. 208
show ip prefix-list	show ip prefix-list	Dkt. 332-2 at PDF p. 209
show ip rip database	show ip rip database	Dkt. 332-2 at PDF p. 209
show ip rip neighbors	show ip rip neighbors	Dkt. 332-2 at PDF p. 209
show ip route	show ip route	Dkt. 332-2 at PDF p. 209
show ip route summary	show ip route summary	Dkt. 332-2 at PDF p. 210

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
show ip route tag	show ip route tag	Dkt. 332-2 at PDF p. 210
show ipv6 access-list	show ipv6 access-list	Dkt. 332-2 at PDF p. 210
show ipv6 bgp	show ipv6 bgp	Dkt. 332-2 at PDF p. 210
show ipv6 bgp community	show ipv6 bgp community	Dkt. 332-2 at PDF p. 211
show ipv6 bgp neighbors	show ipv6 bgp neighbors	Dkt. 332-2 at PDF p. 211
show ipv6 bgp summary	show ipv6 bgp summary	Dkt. 332-2 at PDF p. 211
show ipv6 interface	show ipv6 interface	Dkt. 332-2 at PDF p. 211
show ipv6 neighbors	show ipv6 neighbors	Dkt. 332-2 at PDF p. 212
show ipv6 ospf	show ipv6 ospf	Dkt. 332-2 at PDF p. 212
show ipv6 ospf border- routers	show ipv6 ospf border-routers	Dkt. 332-2 at PDF p. 212
show ipv6 ospf interface	show ipv6 ospf interface	Dkt. 332-2 at PDF p. 212
show ipv6 ospf neighbor	show ipv6 ospf neighbor	Dkt. 332-2 at PDF p. 213
show ipv6 prefix-list	show ipv6 prefix-list	Dkt. 332-2 at PDF p. 213
show ipv6 route	show ipv6 route	Dkt. 332-2 at PDF p. 213
show ipv6 route summary	show ipv6 route summary	Dkt. 332-2 at PDF p. 213
show ipv6 route tag	show ipv6 route tag	Dkt. 332-2 at PDF p. 214
show isis database	show isis database	Dkt. 332-2 at PDF p. 214
show isis interface	show isis interface	Dkt. 332-2 at PDF p. 214
show isis topology	show isis topology	Dkt. 332-2 at PDF p. 215
show lacp counters	show lacp counters	Dkt. 332-2 at PDF p. 215
show lacp interface	show lacp interface	Dkt. 332-2 at PDF p. 215
show lacp neighbor	show lacp neighbor	Dkt. 332-2 at PDF p. 216
show link state group	show link state group	Dkt. 332-2 at PDF p. 216
show lldp	show lldp	Dkt. 332-2 at PDF p. 216
show lldp neighbors	show lldp neighbors	Dkt. 332-2 at PDF p. 216
show lldp traffic	show lldp traffic	Dkt. 332-2 at PDF p. 217
show mac access-list	show mac access-list	Dkt. 332-2 at PDF p. 217
show mac address-table	show mac address-table	Dkt. 332-2 at PDF p. 217
show mac address-table aging time	show mac address-table aging time	Dkt. 332-2 at PDF p. 218
show mac address-table count	show mac address-table count	Dkt. 332-2 at PDF p. 218
show module	show module	Dkt. 332-2 at PDF p. 218

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
show monitor session	show monitor session	Dkt. 332-2 at PDF p. 219
show ntp associations	show ntp associations	Dkt. 332-2 at PDF p. 219
show ntp status	show ntp status	Dkt. 332-2 at PDF p. 219
show policy-map control-plane	show policy-map type control-plane	Dkt. 332-2 at PDF p. 220
show policy-map interface	show policy-map interface type qos	Dkt. 332-2 at PDF p. 220
show policy-map interface control-plane	show policy-map interface control-plane	Dkt. 332-2 at PDF p. 220
show port-channel summary	show port-channel summary	Dkt. 332-2 at PDF p. 220
show port-channel traffic	show port-channel traffic	Dkt. 332-2 at PDF p. 221
show port-security	show port-security	Dkt. 332-2 at PDF p. 221
show port-security address	show port-security address	Dkt. 332-2 at PDF p. 221
show port-security interface	show port-security interface	Dkt. 332-2 at PDF p. 221
show privilege	show privilege	Dkt. 332-2 at PDF p. 222
show ptp clock	show ptp clock	Dkt. 332-2 at PDF p. 222
show ptp parent	show ptp parent	Dkt. 332-2 at PDF p. 222
show ptp time-property	show ptp time-property	Dkt. 332-2 at PDF p. 222
show radius	show radius	Dkt. 332-2 at PDF p. 223
show redundancy states	show redundancy states	Dkt. 332-2 at PDF p. 223
show reload	show reload	Dkt. 332-2 at PDF p. 223
show role	show role	Dkt. 332-2 at PDF p. 223
show route-map	show route-map	Dkt. 332-2 at PDF p. 224
show snmp	show snmp	Dkt. 332-2 at PDF p. 224
show snmp chassis	show snmp chassis	Dkt. 332-2 at PDF p. 224
show snmp community	show snmp community	Dkt. 332-2 at PDF p. 225
show snmp contact	show snmp contact	Dkt. 332-2 at PDF p. 225
show snmp engineID	show snmp engineID	Dkt. 332-2 at PDF p. 225
show snmp group	show snmp group	Dkt. 332-2 at PDF p. 226
show snmp host	show snmp host	Dkt. 332-2 at PDF p. 226
show snmp location	show snmp location	Dkt. 332-2 at PDF p. 226
show snmp mib	show snmp mib	Dkt. 332-2 at PDF p. 227
show snmp source-interface	show snmp source-interface	Dkt. 332-2 at PDF p. 227
show snmp trap	show snmp trap	Dkt. 332-2 at PDF p. 227



Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
show snmp user	show snmp user	Dkt. 332-2 at PDF p. 227
show snmp view	show snmp view	Dkt. 332-2 at PDF p. 228
show spanning-tree	show spanning-tree	Dkt. 332-2 at PDF p. 228
show spanning-tree blockedports	show spanning-tree blockedports	Dkt. 332-2 at PDF p. 228
show spanning-tree bridge	show spanning-tree bridge	Dkt. 332-2 at PDF p. 229
show spanning-tree interface	show spanning-tree interface	Dkt. 332-2 at PDF p. 229
show spanning-tree mst	show spanning-tree mst	Dkt. 332-2 at PDF p. 229
show spanning-tree mst configuration	show spanning-tree mst configuration	Dkt. 332-2 at PDF p. 230
show spanning-tree mst interface	show spanning-tree mst interface	Dkt. 332-2 at PDF p. 230
show spanning-tree root	show spanning-tree root	Dkt. 332-2 at PDF p. 230
show storm-control	show storm-control	Dkt. 332-2 at PDF p. 231
show tacacs	show tacacs	Dkt. 332-2 at PDF p. 231
show track	show track	Dkt. 332-2 at PDF p. 231
show user-account	show user-account	Dkt. 332-2 at PDF p. 232
show users	show users	Dkt. 332-2 at PDF p. 232
show version	show version	Dkt. 332-2 at PDF p. 232
show vlan	show vlan	Dkt. 332-2 at PDF p. 233
show vlan private-vlan	show vlan private-vlan	Dkt. 332-2 at PDF p. 233
show vlan summary	show vlan summary	Dkt. 332-2 at PDF p. 233
show vrf	show vrf	Dkt. 332-2 at PDF p. 234
show vrrp	show vrrp	Dkt. 332-2 at PDF p. 234
snmp trap link-status	snmp trap link-status	Dkt. 332-2 at PDF p. 234
snmp-server chassis-id	snmp-server chassis-id	Dkt. 332-2 at PDF p. 235
snmp-server community	snmp-server community	Dkt. 332-2 at PDF p. 235
snmp-server contact	snmp-server contact	Dkt. 332-2 at PDF p. 235
snmp-server enable traps	snmp-server enable traps	Dkt. 332-2 at PDF p. 236
snmp-server engineID local	snmp-server engineID local	Dkt. 332-2 at PDF p. 236
snmp-server engineID remote	snmp-server engineID remote	Dkt. 332-2 at PDF p. 236
snmp-server group	snmp-server group	Dkt. 332-2 at PDF p. 237
snmp-server host	snmp-server host	Dkt. 332-2 at PDF p. 237
snmp-server location	snmp-server location	Dkt. 332-2 at PDF p. 237

Cisco's Multi-Word Command Expressions	Arista's Multi-Word Command Expressions	Supporting Evidence In The Record
snmp-server source-interface	snmp-server source-interface	Dkt. 332-2 at PDF p. 238
snmp-server user	snmp-server user	Dkt. 332-2 at PDF p. 238
snmp-server view	snmp-server view	Dkt. 332-2 at PDF p. 238
spanning-tree bpduguard	spanning-tree bpduguard	Dkt. 332-2 at PDF p. 239
spanning-tree bridge assurance	spanning-tree bridge assurance	Dkt. 332-2 at PDF p. 239
spanning-tree cost	spanning-tree cost	Dkt. 332-2 at PDF p. 240
spanning-tree guard	spanning-tree guard	Dkt. 332-2 at PDF p. 240
spanning-tree link-type	spanning-tree link-type	Dkt. 332-2 at PDF p. 240
spanning-tree loopguard default	spanning-tree loopguard default	Dkt. 332-2 at PDF p. 241
spanning-tree mode	spanning-tree mode	Dkt. 332-2 at PDF p. 241
spanning-tree mst configuration	spanning-tree mst configuration	Dkt. 332-2 at PDF p. 241
spanning-tree portfast bpduguard default	spanning-tree portfast bpduguard default	Dkt. 332-2 at PDF p. 242
spanning-tree portfast bpduguard default	spanning-tree portfast bpduguard default	Dkt. 332-2 at PDF p. 242
spanning-tree port-priority	spanning-tree port-priority	Dkt. 332-2 at PDF p. 242
spanning-tree transmit hold- count	spanning-tree transmit hold-count	Dkt. 332-2 at PDF p. 243
spanning-tree vlan	spanning-tree vlan	Dkt. 332-2 at PDF p. 243
spf-interval	spf-interval	Dkt. 332-2 at PDF p. 243
statistics per-entry	statistics per-entry (ACL configuration modes)	Dkt. 332-2 at PDF p. 244
storm-control	storm-control	Dkt. 332-2 at PDF p. 244
switchport access vlan	switchport access vlan	Dkt. 332-2 at PDF p. 244
switchport backup interface	switchport backup interface	Dkt. 332-2 at PDF p. 245
switchport mode	switchport mode	Dkt. 332-2 at PDF p. 245
switchport port-security	switchport port-security	Dkt. 332-2 at PDF p. 245
switchport port-security maximum	switchport port-security maximum	Dkt. 332-2 at PDF p. 246
switchport private-vlan mapping	switchport private-vlan mapping	Dkt. 332-2 at PDF p. 246
switchport trunk allowed vlan	switchport trunk allowed vlan	Dkt. 332-2 at PDF p. 246
switchport trunk native vlan	switchport trunk native vlan	Dkt. 332-2 at PDF p. 247
switchport vlan mapping	switchport vlan mapping	Dkt. 332-2 at PDF p. 247
tacacs-server host	tacacs-server host	Dkt. 332-2 at PDF p. 247
tacacs-server key	tacacs-server key	Dkt. 332-2 at PDF p. 248

<b>Cisco's Multi-Word Command Expressions</b>	<b>Arista's Multi-Word Command Expressions</b>	<b>Supporting Evidence In The Record</b>
tacacs-server timeout	tacacs-server timeout	Dkt. 332-2 at PDF p. 248
terminal length	terminal length	Dkt. 332-2 at PDF p. 248
terminal monitor	terminal monitor	Dkt. 332-2 at PDF p. 249
timers basic (RIP)	timers basic (RIP)	Dkt. 332-2 at PDF p. 249
timers bgp	timers bgp	Dkt. 332-2 at PDF p. 249
timers lsa arrival	timers lsa arrival (OSPFv2)	Dkt. 332-2 at PDF p. 250
timers throttle lsa all	timers throttle lsa all (OSPFv2)	Dkt. 332-2 at PDF p. 250
timers throttle spf	timers throttle spf (OSPFv2)	Dkt. 332-2 at PDF p. 250
username sshkey	username sshkey	Dkt. 332-2 at PDF p. 250
vlan internal allocation policy	vlan internal allocation policy	Dkt. 332-2 at PDF p. 251
vrf definition	vrf definition	Dkt. 332-2 at PDF p. 251
vrf forwarding	vrf forwarding	Dkt. 332-2 at PDF p. 251
vrrp authentication	vrrp authentication	Dkt. 332-2 at PDF p. 251
vrrp delay reload	vrrp delay reload	Dkt. 332-2 at PDF p. 252
vrrp description	vrrp description	Dkt. 332-2 at PDF p. 252
vrrp ip	vrrp ip	Dkt. 332-2 at PDF p. 252
vrrp ip secondary	vrrp ip secondary	Dkt. 332-2 at PDF p. 252
vrrp preempt	vrrp preempt	Dkt. 332-2 at PDF p. 253
vrrp priority	vrrp priority	Dkt. 332-2 at PDF p. 253
vrrp shutdown	vrrp shutdown	Dkt. 332-2 at PDF p. 253
vrrp timers advertise	vrrp timers advertise	Dkt. 332-2 at PDF p. 254

**EXHIBIT A2****ARISTA'S VERBATIM COPYING OF CISCO'S IOS HELP DESCRIPTIONS ("HELPDESC")**

<b>Cisco's HelpDesc</b>	<b>Arista's HelpDesc</b>	<b>Supporting Evidence In The Record</b>
32-bit tag value	32-bit tag value	Dkt. 332-2 at PDF p. 359
48-bit hardware address of ARP entry	48-bit hardware address of ARP entry	Dkt. 332-2 at PDF p. 359
AAA group definitions	AAA group definitions	Dkt. 332-2 at PDF p. 359
ARP type ARPA	ARP type ARPA	Dkt. 332-2 at PDF p. 359
ASBR summary link states	ASBR summary link states	Dkt. 332-2 at PDF p. 359
Administratively shut down this neighbor	Administratively shut down this neighbor	Dkt. 332-2 at PDF p. 359
Advertising Router (as an IP address)	Advertising Router (as an IP address)	Dkt. 332-2 at PDF p. 359
Advertising Router link states	Advertising Router link states	Dkt. 332-2 at PDF p. 359
Always advertise default route	Always advertise default route	Dkt. 332-2 at PDF p. 359
An ordered list as a regular-expression	An ordered list as a regular-expression	Dkt. 332-2 at PDF p. 359
Assign policy-map to the input of an interface	Assign policy-map to the input of an interface	Dkt. 332-2 at PDF p. 359
Assign policy-map to the output of an interface	Assign policy-map to the output of an interface	Dkt. 332-2 at PDF p. 359
Authentication parameters for the user	Authentication parameters for the user	Dkt. 332-2 at PDF p. 359
Border and Boundary Router Information	Border and Boundary Router Information	Dkt. 332-2 at PDF p. 360
Change current directory	Change current directory	Dkt. 332-2 at PDF p. 360
Class of service	Class of service	Dkt. 332-2 at PDF p. 360
Configure IP address summaries	Configure IP address summaries	Dkt. 332-2 at PDF p. 360
Configure QoS Class Map	Configure QoS Class Map	Dkt. 332-2 at PDF p. 360
Configure QoS Policy Map	Configure QoS Policy Map	Dkt. 332-2 at PDF p. 360
Configure QoS Service Policy	Configure QoS Service Policy	Dkt. 332-2 at PDF p. 360
Configure a local or remote SNMPv3 engineID	Configure a local or remote SNMPv3 engineID	Dkt. 332-2 at PDF p. 360
Configure from the terminal	Configure from the terminal	Dkt. 332-2 at PDF p. 360
Configure load balancing	Configure load balancing	Dkt. 332-2 at PDF p. 360
Configure logging for interface	Configure logging for interface	Dkt. 332-2 at PDF p. 360
Contents of startup configuration	Contents of startup configuration	Dkt. 332-2 at PDF p. 360

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Control distribution of default information	Control distribution of default information	Dkt. 332-2 at PDF p. 360
Copy from one file to another	Copy from one file to another	Dkt. 332-2 at PDF p. 360
Current operating configuration	Current operating configuration	Dkt. 332-2 at PDF p. 360
Default domain name	Default domain name	Dkt. 332-2 at PDF p. 361
Define a User Security Model group	Define a User Security Model group	Dkt. 332-2 at PDF p. 361
Define a user who can access the SNMP engine	Define a user who can access the SNMP engine	Dkt. 332-2 at PDF p. 361
Define an SNMPv2 MIB view	Define an SNMPv2 MIB view	Dkt. 332-2 at PDF p. 361
Define an administrative distance	Define an administrative distance	Dkt. 332-2 at PDF p. 361
Delete a file	Delete a file	Dkt. 332-2 at PDF p. 361
Delete all multicast routes	Delete all multicast routes	Dkt. 332-2 at PDF p. 361
Description of the interactive help system	Description of the interactive help system	Dkt. 332-2 at PDF p. 361
Destination IP address	Destination IP address	Dkt. 332-2 at PDF p. 361
Destination MAC address	Destination MAC address	Dkt. 332-2 at PDF p. 361
Destination address translation	Destination address translation	Dkt. 332-2 at PDF p. 361
Destination file path	Destination file path	Dkt. 332-2 at PDF p. 361
Detailed interface information	Detailed interface information	Dkt. 332-2 at PDF p. 361
Directory or file name	Directory or file name	Dkt. 332-2 at PDF p. 361
Display OSPF router IDs as DNS names	Display OSPF router IDs as DNS names	Dkt. 332-2 at PDF p. 361
Display current working directory	Display current working directory	Dkt. 332-2 at PDF p. 361
Display detailed information	Display detailed information	Dkt. 332-2 at PDF p. 361
Display the contents of a file	Display the contents of a file	Dkt. 332-2 at PDF p. 361
Display the session command history	Display the session command history	Dkt. 332-2 at PDF p. 361
Display the system clock	Display the system clock	Dkt. 332-2 at PDF p. 362
Distance for external routes	Distance for external routes	Dkt. 332-2 at PDF p. 362
Distance for internal routes	Distance for internal routes	Dkt. 332-2 at PDF p. 362
Distance for local routes	Distance for local routes	Dkt. 332-2 at PDF p. 362
Distribute a default route	Distribute a default route	Dkt. 332-2 at PDF p. 362
Enable IP routing	Enable IP routing	Dkt. 332-2 at PDF p. 362
Enable SNMP; set community string and access privs	Enable SNMP; set community string and access privs	Dkt. 332-2 at PDF p. 362

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Enable logging to all supported destinations	Enable logging to all supported destinations	Dkt. 332-2 at PDF p. 362
Enable proxy ARP	Enable proxy ARP	Dkt. 332-2 at PDF p. 362
End IP address	End IP address	Dkt. 332-2 at PDF p. 362
End of range	End of range	Dkt. 332-2 at PDF p. 362
Enter configuration mode	Enter configuration mode	Dkt. 332-2 at PDF p. 362
Exit from configure mode	Exit from configure mode	Dkt. 332-2 at PDF p. 362
External link states	External link states	Dkt. 332-2 at PDF p. 362
File to be deleted	File to be deleted	Dkt. 332-2 at PDF p. 362
File to display	File to display	Dkt. 332-2 at PDF p. 362
Forwarding routers address	Forwarding routers address	Dkt. 332-2 at PDF p. 362
Group to which the user belongs	Group to which the user belongs	Dkt. 332-2 at PDF p. 362
Group using the User Security Model (SNMPv3)	Group using the User Security Model (SNMPv3)	Dkt. 332-2 at PDF p. 363
Group using the v1 security model	Group using the v1 security model	Dkt. 332-2 at PDF p. 363
Group using the v2c security model	Group using the v2c security model	Dkt. 332-2 at PDF p. 363
Halt and perform a cold restart	Halt and perform a cold restart	Dkt. 332-2 at PDF p. 363
Hello interval value	Hello interval value	Dkt. 332-2 at PDF p. 363
Hello multiplier value	Hello multiplier value	Dkt. 332-2 at PDF p. 363
ICMP message code	ICMP message code	Dkt. 332-2 at PDF p. 364
ICMP message type	ICMP message type	Dkt. 332-2 at PDF p. 364
IGMP host query interval	IGMP host query interval	Dkt. 332-2 at PDF p. 364
IGMP max query response value	IGMP max query response value	Dkt. 332-2 at PDF p. 364
IGMP static multicast group	IGMP static multicast group	Dkt. 332-2 at PDF p. 364
IP ARP table	IP ARP table	Dkt. 332-2 at PDF p. 364
IP address of ARP entry	IP address of ARP entry	Dkt. 332-2 at PDF p. 364
IP address or hostname of a remote system	IP address or hostname of a remote system	Dkt. 332-2 at PDF p. 364
IP group address	IP group address	Dkt. 332-2 at PDF p. 364
IP interface status and configuration	IP interface status and configuration	Dkt. 332-2 at PDF p. 365
IP routing table	IP routing table	Dkt. 332-2 at PDF p. 365
IP source address	IP source address	Dkt. 332-2 at PDF p. 365
IP subnet mask	IP subnet mask	Dkt. 332-2 at PDF p. 365

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Interface specific description	Interface specific description	Dkt. 332-2 at PDF p. 366
Interface status and configuration	Interface status and configuration	Dkt. 332-2 at PDF p. 366
Interval in seconds	Interval in seconds	Dkt. 332-2 at PDF p. 367
Link state ID (as an IP address)	Link state ID (as an IP address)	Dkt. 332-2 at PDF p. 367
List file information	List file information	Dkt. 332-2 at PDF p. 367
List files on a filesystem	List files on a filesystem	Dkt. 332-2 at PDF p. 367
Load interval delay in seconds	Load interval delay in seconds	Dkt. 332-2 at PDF p. 367
MIB family is excluded from the view	MIB family is excluded from the view	Dkt. 332-2 at PDF p. 367
MIB family is included in the view	MIB family is included in the view	Dkt. 332-2 at PDF p. 367
MIB view family name	MIB view family name	Dkt. 332-2 at PDF p. 367
MIB view to which this community has access	MIB view to which this community has access	Dkt. 332-2 at PDF p. 367
Modify enable password parameters	Modify enable password parameters	Dkt. 332-2 at PDF p. 368
Modify message logging facilities	Modify message logging facilities	Dkt. 332-2 at PDF p. 368
Modify system boot parameters	Modify system boot parameters	Dkt. 332-2 at PDF p. 368
Multicast Source Discovery Protocol (MSDP)	Multicast Source Discovery Protocol (MSDP)	Dkt. 332-2 at PDF p. 368
NSSA External link states	NSSA External link states	Dkt. 332-2 at PDF p. 368
NTP version number	NTP version number	Dkt. 332-2 at PDF p. 368
Name of the group	Name of the group	Dkt. 332-2 at PDF p. 368
Name of the user	Name of the user	Dkt. 332-2 at PDF p. 368
Name of the view	Name of the view	Dkt. 332-2 at PDF p. 368
Negate a command or set its defaults	Negate a command or set its defaults	Dkt. 332-2 at PDF p. 368
Network time protocol	Network time protocol	Dkt. 332-2 at PDF p. 368
Network link states	Network link states	Dkt. 332-2 at PDF p. 368
Network summary link states	Network summary link states	Dkt. 332-2 at PDF p. 368
Number of lines on screen (0 for no pausing)	Number of lines on screen (0 for no pausing)	Dkt. 332-2 at PDF p. 368
Number of probes	Number of probes	Dkt. 332-2 at PDF p. 368
Number of retries to this server for a transaction	Number of retries to this server for a transaction	Dkt. 332-2 at PDF p. 369
OSPF router-id in IP address format	OSPF router-id in IP address format	Dkt. 332-2 at PDF p. 369
Opaque AS link states	Opaque AS link states	Dkt. 332-2 at PDF p. 369
Opaque Area link states	Opaque Area link states	Dkt. 332-2 at PDF p. 369

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Opaque Link-Local link states	Opaque Link-Local link states	Dkt. 332-2 at PDF p. 369
Open a telnet connection	Open a telnet connection	Dkt. 332-2 at PDF p. 369
Open a terminal connection	Open a terminal connection	Dkt. 332-2 at PDF p. 369
Originate default route to this neighbor	Originate default route to this neighbor	Dkt. 332-2 at PDF p. 369
Ping destination address or hostname	Ping destination address or hostname	Dkt. 332-2 at PDF p. 369
Prefix list name	Prefix list name	Dkt. 332-2 at PDF p. 369
Query interval in seconds	Query interval in seconds	Dkt. 332-2 at PDF p. 369
RPF across equal-cost paths	RPF across equal-cost paths	Dkt. 332-2 at PDF p. 369
Read-only access with this community string	Read-only access with this community string	Dkt. 332-2 at PDF p. 369
Reason for reload	Reason for reload	Dkt. 332-2 at PDF p. 370
Redistribute OSPF NSSA external routes	Redistribute OSPF NSSA external routes	Dkt. 332-2 at PDF p. 370
Redistribute OSPF external routes	Redistribute OSPF external routes	Dkt. 332-2 at PDF p. 370
Redistribute OSPF internal routes	Redistribute OSPF internal routes	Dkt. 332-2 at PDF p. 370
Redistribution of OSPF routes	Redistribution of OSPF routes	Dkt. 332-2 at PDF p. 370
Rename a file	Rename a file	Dkt. 332-2 at PDF p. 370
Reset a terminal line	Reset a terminal line	Dkt. 332-2 at PDF p. 370
Restrict this community to a named MIB view	Restrict this community to a named MIB view	Dkt. 332-2 at PDF p. 370
Route map reference	Route map reference	Dkt. 332-2 at PDF p. 370
Router link states	Router link states	Dkt. 332-2 at PDF p. 370
SNMP community string	SNMP community string	Dkt. 332-2 at PDF p. 370
SNMP version to use for notification messages	SNMP version to use for notification messages	Dkt. 332-2 at PDF p. 370
SNMPv1/v2c community string or SNMPv3 user name	SNMPv1/v2c community string or SNMPv3 user name	Dkt. 332-2 at PDF p. 370
Select an interface to configure	Select an interface to configure	Dkt. 332-2 at PDF p. 370
Self-originated link states	Self-originated link states	Dkt. 332-2 at PDF p. 370
Send Inform messages to this host	Send Inform messages to this host	Dkt. 332-2 at PDF p. 370
Send Trap messages to this host	Send Trap messages to this host	Dkt. 332-2 at PDF p. 370
Send community attribute to this neighbor	Send community attribute to this neighbor	Dkt. 332-2 at PDF p. 370
Send echo messages	Send echo messages	Dkt. 332-2 at PDF p. 370
Set a static ARP entry	Set a static ARP entry	Dkt. 332-2 at PDF p. 371



Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Set authentication list for enable	Set authentication list for enable	Dkt. 332-2 at PDF p. 371
Set authentication lists for logins	Set authentication lists for logins	Dkt. 332-2 at PDF p. 371
Set buffered logging parameters	Set buffered logging parameters	Dkt. 332-2 at PDF p. 371
Set key string	Set key string	Dkt. 332-2 at PDF p. 371
Set priority for Designated Router election	Set priority for Designated Router election	Dkt. 332-2 at PDF p. 371
Set syslog server logging level	Set syslog server logging level	Dkt. 332-2 at PDF p. 371
Set the IP address of an interface	Set the IP address of an interface	Dkt. 332-2 at PDF p. 371
Show QoS Class Map	Show QoS Class Map	Dkt. 332-2 at PDF p. 371
Show QoS Policy Map	Show QoS Policy Map	Dkt. 332-2 at PDF p. 371
Show SNMPv3 groups	Show SNMPv3 groups	Dkt. 332-2 at PDF p. 371
Show SNMPv3 users	Show SNMPv3 users	Dkt. 332-2 at PDF p. 372
Show detailed Information	Show detailed information	Dkt. 332-2 at PDF p. 372
Show filesystem information	Show filesystem information	Dkt. 332-2 at PDF p. 372
Show running system information	Show running system information	Dkt. 332-2 at PDF p. 372
Show summary information	Show summary information	Dkt. 332-2 at PDF p. 372
Show the contents of logging buffers	Show the contents of logging buffers	Dkt. 332-2 at PDF p. 372
Source IP address	Source IP address	Dkt. 332-2 at PDF p. 372
Source MAC address	Source MAC address	Dkt. 332-2 at PDF p. 372
Source address translation	Source address translation	Dkt. 332-2 at PDF p. 372
Source file path	Source file path	Dkt. 332-2 at PDF p. 372
Spanning Tree Subsystem	Spanning Tree Subsystem	Dkt. 332-2 at PDF p. 372
Spanning tree topology	Spanning tree topology	Dkt. 332-2 at PDF p. 372
Specify a RADIUS server	Specify a RADIUS server	Dkt. 332-2 at PDF p. 372
Specify a notify view for the group	Specify a notify view for the group	Dkt. 332-2 at PDF p. 372
Specify a read view for the group	Specify a read view for the group	Dkt. 332-2 at PDF p. 372
Specify a remote SNMP entity to which the user belongs	Specify a remote SNMP entity to which the user belongs	Dkt. 332-2 at PDF p. 373
Specify a write view for the group	Specify a write view for the group	Dkt. 332-2 at PDF p. 372
Specify hosts to receive SNMP notifications	Specify hosts to receive SNMP notifications	Dkt. 332-2 at PDF p. 373

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Specify interval for load calculation for an interface	Specify interval for load calculation for an interface	Dkt. 332-2 at PDF p. 373
Specify name of the next hop	Specify name of the next hop	Dkt. 332-2 at PDF p. 373
Stamp logger messages with a sequence number	Stamp logger messages with a sequence number	Dkt. 332-2 at PDF p. 373
Start IP address	Start IP address	Dkt. 332-2 at PDF p. 373
String to uniquely identify this chassis	String to uniquely identify this chassis	Dkt. 332-2 at PDF p. 373
Summary of database	Summary of database	Dkt. 332-2 at PDF p. 373
Text for mib object sysContact	Text for mib object sysContact	Dkt. 332-2 at PDF p. 374
Text for mib object sysLocation	Text for mib object sysLocation	Dkt. 332-2 at PDF p. 374
The HIDDEN shared key	The HIDDEN shared key	Dkt. 332-2 at PDF p. 374
The UNENCRYPTED (cleartext) shared key	The UNENCRYPTED (cleartext) shared key	Dkt. 332-2 at PDF p. 374
The notification hosts UDP port number	The notification hosts UDP port number	Dkt. 332-2 at PDF p. 374
The physical location of this node	The physical location of this node	Dkt. 332-2 at PDF p. 374
The remote SNMP entitys UDP port number	The remote SNMP entitys UDP port number	Dkt. 332-2 at PDF p. 374
Time in minutes	Time in minutes	Dkt. 332-2 at PDF p. 374
Time in seconds	Time in seconds	Dkt. 332-2 at PDF p. 374
Trace route to destination	Trace route to destination	Dkt. 332-2 at PDF p. 375
Trace route to destination address or hostname	Trace route to destination address or hostname	Dkt. 332-2 at PDF p. 375
Transmission Control Protocol	Transmission Control Protocol	Dkt. 332-2 at PDF p. 375
Turn off privileged commands	Turn off privileged commands	Dkt. 332-2 at PDF p. 375
Turn on privileged commands	Turn on privileged commands	Dkt. 332-2 at PDF p. 375
Unique ID string	Unique ID string	Dkt. 332-2 at PDF p. 375
Use HMAC MD5 algorithm for authentication	Use HMAC MD5 algorithm for authentication	Dkt. 332-2 at PDF p. 375
Use HMAC SHA algorithm for authentication	Use HMAC SHA algorithm for authentication	Dkt. 332-2 at PDF p. 375
Use the SNMPv3 authNoPriv security level	Use the SNMPv3 authNoPriv security level	Dkt. 332-2 at PDF p. 376
Use the SNMPv3 noAuthNoPriv security level	Use the SNMPv3 noAuthNoPriv security level	Dkt. 332-2 at PDF p. 376
User Datagram Protocol	User Datagram Protocol	Dkt. 332-2 at PDF p. 376
User using the v1 security model	User using the v1 security model	Dkt. 332-2 at PDF p. 376
User using the v2c security model	User using the v2c security model	Dkt. 332-2 at PDF p. 376
User using the v3 security model	User using the v3 security model	Dkt. 332-2 at PDF p. 376

<b>Cisco's HelpDesc</b>	<b>Arista's HelpDesc</b>	<b>Supporting Evidence In The Record</b>
VPN Routing/Forwarding instance	VPN Routing/Forwarding Instance	Dkt. 332-2 at PDF p. 376
Verify a file	Verify a file	Dkt. 332-2 at PDF p. 377
Wait time (default 5 seconds)	Wait time (default 5 seconds)	Dkt. 332-2 at PDF p. 377
EngineID of the local agent	EngineID of the local agent	Dkt. 332-2 at PDF p. 377
Identification of the contact person for this managed node	Identification of the contact person for this managed node	Dkt. 332-2 at PDF p. 377
Name of the next hop	Name of the next hop	Dkt. 332-2 at PDF p. 377
Next hop address	Next hop address	Dkt. 332-2 at PDF p. 377
Notify view name	Notify view name	Dkt. 332-2 at PDF p. 377
Rate in Kbps	Rate in Kbps	Dkt. 332-2 at PDF p. 377
Read view name	Read view name	Dkt. 332-2 at PDF p. 377
Timeout in seconds	Timeout in seconds	Dkt. 332-2 at PDF p. 377
Write view name	Write view name	Dkt. 332-2 at PDF p. 377

**ARISTA'S VERBATIM COPYING OF CISCO'S IOS-XR HELP DESCRIPTIONS ("HELPDESC")**

<b>Cisco's HelpDesc</b>	<b>Arista's HelpDesc</b>	<b>Supporting Evidence In The Record</b>
AAA group definitions	AAA group definitions	Dkt. 332-2 at PDF p. 378
Specifies that an UNENCRYPTED key will follow	Specifies that an UNENCRYPTED key will follow	Dkt. 332-2 at PDF p. 379-381
Label value	Label value	Dkt. 332-2 at PDF p. 382
Exit from configure mode	Exit from configure mode	Dkt. 332-2 at PDF p. 382
Configure from the terminal	Configure from the terminal	Dkt. 332-2 at PDF p. 382-383
Include lines that match	Include lines that match	Dkt. 332-2 at PDF p. 383
Exclude lines that match	Exclude lines that match	Dkt. 332-2 at PDF p. 383
Begin with the line that matches	Begin with the line that matches	Dkt. 332-2 at PDF p. 383
No accounting	No accounting	Dkt. 332-2 at PDF p. 385, 570
User Datagram Protocol	User Datagram Protocol	Dkt. 332-2 at PDF p. 386, 491-492
Global IPv6 configuration commands	Global IPv6 configuration commands	Dkt. 332-2 at PDF p. 386, 416, 581
BFD information	BFD information	Dkt. 332-2 at PDF p. 386
Display the system clock	Display the system clock	Dkt. 332-2 at PDF p. 387
Show controller information	Show controller information	Dkt. 332-2 at PDF p. 387
Packet Counters	Packet Counters	Dkt. 332-2 at PDF p. 387, 388
Debug Counters	Debug Counters	Dkt. 332-2 at PDF p. 388-389
Interval in seconds	Interval in seconds	Dkt. 332-2 at PDF p. 389, 394-395
Detailed information	Detailed information	Dkt. 332-2 at PDF p. 389-394, 442-446, 479-484, 553-558, 573-577

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Priority level	Priority level	Dkt. 332-2 at PDF p. 394
Object Name	Object Name	Dkt. 332-2 at PDF p. 395
Copy from current system configuration	Copy from current system configuration	Dkt. 332-2 at PDF p. 395-396
Update (merge with) current system configuration	Update (merge with) current system configuration	Dkt. 332-2 at PDF p. 396
Display the contents of a file	Display the contents of a file	Dkt. 332-2 at PDF p. 396
Current operating configuration	Current operating configuration	Dkt. 332-2 at PDF p. 397
Rule number	Rule number	Dkt. 332-2 at PDF p. 397-398
Tunnel ID	Tunnel ID	Dkt. 332-2 at PDF p. 398
Version number	Version number	Dkt. 332-2 at PDF p. 399
IGMP host query interval	IGMP host query interval	Dkt. 332-2 at PDF p. 401
Query interval in seconds	Query interval in seconds	Dkt. 332-2 at PDF p. 401
Multicast source address	Multicast source address	Dkt. 332-2 at PDF p. 401-402
Detailed interface information	Detailed interface information	Dkt. 332-2 at PDF p. 402
Specify interface	Specify interface	Dkt. 332-2 at PDF p. 402
VLAN ID	VLAN ID	Dkt. 332-2 at PDF p. 403-404
Select an interface to configure	Select an interface to configure	Dkt. 332-2 at PDF p. 408-410
Interface status and configuration	Interface status and configuration	Dkt. 332-2 at PDF p. 410-412
Disable the interface	Disable the interface	Dkt. 332-2 at PDF p. 413
Specify interval for load calculation for an interface	Specify interval for load calculation for an interface	Dkt. 332-2 at PDF p. 413
MTU (bytes)	MTU (bytes)	Dkt. 332-2 at PDF p. 413
Interface events	Interface events	Dkt. 332-2 at PDF p. 413-414
Prefix length	Prefix length	Dkt. 332-2 at PDF p. 414
Set IPv6 Router Advertisement Interval	Set IPv6 Router Advertisement Interval	Dkt. 332-2 at PDF p. 414-415

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Interval in milliseconds	Interval in milliseconds	Dkt. 332-2 at PDF p. 415
IPv6 information	IPv6 information	Dkt. 332-2 at PDF p. 415
Global IPv6 configuration commands	Global IPv6 configuration commands	Dkt. 332-2 at PDF p. 416
IPv6 interface status and configuration	IPv6 interface status and configuration	Dkt. 332-2 at PDF p. 418
Brief output	Brief output	Dkt. 332-2 at PDF p. 419
Set advertised NS retransmission interval	Set advertised NS retransmission interval	Dkt. 332-2 at PDF p. 421
Time to Live Value	Time to Live Value	Dkt. 332-2 at PDF p. 422
Entry Index	Entry Index	Dkt. 332-2 at PDF p. 422-423
Destination Ip Address	Destination Ip Address	Dkt. 332-2 at PDF p. 423-424
48-bit hardware address of ARP entry	48-bit hardware address of ARP entry	Dkt. 332-2 at PDF p. 424
Brief output	Brief output	Dkt. 332-2 at PDF p. 427
IP routing table	IP routing table	Dkt. 332-2 at PDF p. 428
MAC address	MAC address	Dkt. 332-2 at PDF p. 428-429
Interface filter	Interface filter	Dkt. 332-2 at PDF p. 429-430
Enable proxy ARP	Enable proxy ARP	Dkt. 332-2 at PDF p. 431
Enable local proxy ARP	Enable local proxy ARP	Dkt. 332-2 at PDF p. 431
Route Distinguisher	Route Distinguisher	Dkt. 332-2 at PDF p. 431
Address family IPv4	Address family IPv4	Dkt. 332-2 at PDF p. 431-434
Address family IPv6	Address family IPv6	Dkt. 332-2 at PDF p. 434-436
Default vrf	Default vrf	Dkt. 332-2 at PDF p. 436-437
Time interval in seconds	Time interval in seconds	Dkt. 332-2 at PDF p. 437-438
Port Description TLV	Port Description TLV	Dkt. 332-2 at PDF p. 438

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
System Name TLV	System Name TLV	Dkt. 332-2 at PDF p. 438-439
System Description TLV	System Description TLV	Dkt. 332-2 at PDF p. 439
System Capabilities TLV	System Capabilities TLV	Dkt. 332-2 at PDF p. 439
Management Address TLV	Management Address TLV	Dkt. 332-2 at PDF p. 439
Show the contents of logging buffers	Show the contents of logging buffers	Dkt. 332-2 at PDF p. 439-440
Set buffered logging parameters	Set buffered logging parameters	Dkt. 332-2 at PDF p. 440
All modules	All modules	Dkt. 332-2 at PDF p. 441
Number of lines on screen (0 for no pausing)	Number of lines on screen (0 for no pausing)	Dkt. 332-2 at PDF p. 441-442
Detailed information	Detailed information	Dkt. 332-2 at PDF p. 442-446
Multicast Source Discovery Protocol (MSDP)	Multicast Source Discovery Protocol (MSDP)	Dkt. 332-2 at PDF p. 446
Show detailed information	Show detailed information	Dkt. 332-2 at PDF p. 447-448
Interface Name	Interface Name	Dkt. 332-2 at PDF p. 448-459
Interface filter	Interface filter	Dkt. 332-2 at PDF p. 459-460
TCP protocol	TCP protocol	Dkt. 332-2 at PDF p. 460-461
UDP protocol	UDP protocol	Dkt. 332-2 at PDF p. 461-462
Send echo messages	Send echo messages	Dkt. 332-2 at PDF p. 462
IPv4 echo	IPv4 echo	Dkt. 332-2 at PDF p. 462
IPv6 echo	IPv6 echo	Dkt. 332-2 at PDF p. 463
Ping destination address or hostname	Ping destination address or hostname	Dkt. 332-2 at PDF p. 463
Repeat count	Repeat count	Dkt. 332-2 at PDF p. 463-464
Datagram size	Datagram size	Dkt. 332-2 at PDF p. 464

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Timeout in seconds	Timeout in seconds	Dkt. 332-2 at PDF p. 465-466
Trace route to destination	Trace route to destination	Dkt. 332-2 at PDF p. 466
IPv4 Trace	IPv4 Trace	Dkt. 332-2 at PDF p. 466
IPv6 Trace	IPv6 Trace	Dkt. 332-2 at PDF p. 466
Trace route to destination address or hostname	Trace route to destination address or hostname	Dkt. 332-2 at PDF p. 466-467
Open a telnet connection	Open a telnet connection	Dkt. 332-2 at PDF p. 467
Port number	Port number	Dkt. 332-2 at PDF p. 467-474
Network time protocol	Network time protocol	Dkt. 332-2 at PDF p. 474-475
NTP status	NTP status	Dkt. 332-2 at PDF p. 475
NTP associations	NTP associations	Dkt. 332-2 at PDF p. 475
Key number	Key number	Dkt. 332-2 at PDF p. 475
NTP version number	NTP version number	Dkt. 332-2 at PDF p. 475
Port id	Port id	Dkt. 332-2 at PDF p. 476
Port name	Port name	Dkt. 332-2 at PDF p. 476
Display detailed information	Display detailed information	Dkt. 332-2 at PDF p. 476-478
Host name	Host name	Dkt. 332-2 at PDF p. 478
Sequence Number	Sequence Number	Dkt. 332-2 at PDF p. 478
next hop address	next hop address	Dkt. 332-2 at PDF p. 479
Differentiated Services Code Point (DSCP)	Differentiated Services Code Point (DSCP)	Dkt. 332-2 at PDF p. 479
Show PFC information for a specific interface	Show PFC information for a specific interface	Dkt. 332-2 at PDF p. 479
Detailed information	Detailed information	Dkt. 332-2 at PDF p. 479-484
Hello interval	Hello interval	Dkt. 332-2 at PDF p. 484
Neighbor filter	Neighbor filter	Dkt. 332-2 at PDF p. 485
Detailed interface information	Detailed interface information	Dkt. 332-2 at PDF p. 485
IP routing table	IP routing table	Dkt. 332-2 at PDF p. 486



Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Number of MAC addresses	Number of MAC addresses	Dkt. 332-2 at PDF p. 486
Show PTP interface information	Show PTP interface information	Dkt. 332-2 at PDF p. 487
Set IP DSCP (DiffServ CodePoint)	Set IP DSCP (DiffServ CodePoint)	Dkt. 332-2 at PDF p. 488
Show detailed output	Show detailed output	Dkt. 332-2 at PDF p. 489
Time in minutes	Time in minutes	Dkt. 332-2 at PDF p. 490
Specify a RADIUS server	Specify a RADIUS server	Dkt. 332-2 at PDF p. 490-491
RADIUS configuration	RADIUS configuration	Dkt. 332-2 at PDF p. 491
User Datagram Protocol	User Datagram Protocol	Dkt. 332-2 at PDF p. 491-492
Route Distinguisher	Route Distinguisher	Dkt. 332-2 at PDF p. 492
Sequence number	Sequence number	Dkt. 332-2 at PDF p. 492
Next hop	Next hop	Dkt. 332-2 at PDF p. 493
AS Number	AS Number	Dkt. 332-2 at PDF p. 493
BGP Timers	BGP Timers	Dkt. 332-2 at PDF p. 494
Keepalive interval	Keepalive interval	Dkt. 332-2 at PDF p. 494
Hold time	Hold time	Dkt. 332-2 at PDF p. 494
Open Shortest Path First (OSPF)	Open Shortest Path First (OSPF)	Dkt. 332-2 at PDF p. 494-495
Redistribution of OSPF routes	Redistribution of OSPF routes	Dkt. 332-2 at PDF p. 495-496
Redistribute OSPF external routes	Redistribute OSPF external routes	Dkt. 332-2 at PDF p. 496
Redistribute OSPF internal routes	Redistribute OSPF internal routes	Dkt. 332-2 at PDF p. 496-497
Administratively shut down this neighbor	Administratively shut down this neighbor	Dkt. 332-2 at PDF p. 497
Define an administrative distance	Define an administrative distance	Dkt. 332-2 at PDF p. 497
BGP distance	BGP distance	Dkt. 332-2 at PDF p. 498
Delay value (seconds)	Delay value (seconds)	Dkt. 332-2 at PDF p. 498
IPv4 address family	IPv4 address family	Dkt. 332-2 at PDF p. 498-500

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
IPv6 address family	IPv6 address family	Dkt. 332-2 at PDF p. 501-502
IS-IS instance name	IS-IS instance name	Dkt. 332-2 at PDF p. 503
Address family modifier	Address family modifier	Dkt. 332-2 at PDF p. 503-504
Suppress routing updates on this interface	Suppress routing updates on this interface	Dkt. 332-2 at PDF p. 504-505
Detailed Output	Detailed Output	Dkt. 332-2 at PDF p. 505-506
Neighbor information	Neighbor information	Dkt. 332-2 at PDF p. 506
Process ID	Process ID	Dkt. 332-2 at PDF p. 507-508, 516-517
Metric value	Metric value	Dkt. 332-2 at PDF p. 508
Control distribution of default information	Control distribution of default information	Dkt. 332-2 at PDF p. 509
Distribute a default route	Distribute a default route	Dkt. 332-2 at PDF p. 509
Metric value	Metric value	Dkt. 332-2 at PDF p. 509, 517-518
Database summary	Database summary	Dkt. 332-2 at PDF p. 510
Advertising Router link states	Advertising Router link states	Dkt. 332-2 at PDF p. 510-511
Self-originated link states	Self-originated link states	Dkt. 332-2 at PDF p. 511-512
Filter by Interface Name	Filter by Interface Name	Dkt. 332-2 at PDF p. 512-513
Border and Boundary Router Information	Border and Boundary Router Information	Dkt. 332-2 at PDF p. 513
Interface information	Interface information	Dkt. 332-2 at PDF p. 513-515
Neighbor list	Neighbor list	Dkt. 332-2 at PDF p. 515
Display OSPF router IDs as DNS names	Display OSPF router IDs as DNS names	Dkt. 332-2 at PDF p. 517
Enable authentication	Enable authentication	Dkt. 332-2 at PDF p. 517
Suppress routing updates in an interface	Suppress routing updates in an interface	Dkt. 332-2 at PDF p. 518

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Control distribution of default information	Control distribution of default information	Dkt. 332-2 at PDF p. 518
Distribute a default route	Distribute a default route	Dkt. 332-2 at PDF p. 518-519
Brief interface information	Brief interface information	Dkt. 332-2 at PDF p. 520-521
Neighbor information	Neighbor information	Dkt. 332-2 at PDF p. 521
Advertising Router link states	Advertising Router link states	Dkt. 332-2 at PDF p. 521-522
Self-originated link states	Self-originated link states	Dkt. 332-2 at PDF p. 522-523
ASBR summary link states	ASBR summary link states	Dkt. 332-2 at PDF p. 523
External link states	External link state	Dkt. 332-2 at PDF p. 523
Network link states	Network link states	Dkt. 332-2 at PDF p. 524
NSSA External link states	NSSA External link states	Dkt. 332-2 at PDF p. 524
Opaque Area link states	Opaque Area link states	Dkt. 332-2 at PDF p. 524-525
Opaque AS link states	Opaque AS link states	Dkt. 332-2 at PDF p. 525
Opaque Link-Local link states	Opaque Link-Local link states	Dkt. 332-2 at PDF p. 525
Router link states	Router link states	Dkt. 332-2 at PDF p. 525-526
Network summary link states	Network summary link states	Dkt. 332-2 at PDF p. 526
Define an administrative distance	Define an administrative distance	Dkt. 332-2 at PDF p. 526
Redistribution of OSPF routes	Redistribution of OSPF routes	Dkt. 332-2 at PDF p. 527
Redistribute OSPF external routes	Redistribute OSPF external routes	Dkt. 332-2 at PDF p. 527-528
Redistribute OSPF internal routes	Redistribute OSPF internal routes	Dkt. 332-2 at PDF p. 528
Connected routes	Connected routes	Dkt. 332-2 at PDF p. 528-529
Threshold value	Threshold value	Dkt. 332-2 at PDF p. 529
Time in minutes	Time in minutes	Dkt. 332-2 at PDF p. 529
Traffic class	Traffic class	Dkt. 332-2 at PDF p. 529

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Source MAC address	Source MAC address	Dkt. 332-2 at PDF p. 530
Destination MAC address	Destination MAC address	Dkt. 332-2 at PDF p. 530
VLAN ID	VLAN ID	Dkt. 332-2 at PDF p. 530-531
SNMP statistics	SNMP statistics	Dkt. 332-2 at PDF p. 532
Name of the group	Name of the group	Dkt. 332-2 at PDF p. 533-534
Name of the user	Name of the user	Dkt. 332-2 at PDF p. 534
Name of the view	Name of the view	Dkt. 332-2 at PDF p. 535
SNMP community string	SNMP community string	Dkt. 332-2 at PDF p. 535
MIB view to which this community has access	MIB view to which this community has access	Dkt. 332-2 at PDF p. 536
String to uniquely identify this chassis	String to uniquely identify this chassis	Dkt. 332-2 at PDF p. 536
Unique ID string	Unique ID string	Dkt. 332-2 at PDF p. 536
Text for mib object sysContact	Text for mib object sysContact	Dkt. 332-2 at PDF p. 536
Identification of the contact person for this managed node	Identification of the contact person for this managed node	Dkt. 332-2 at PDF p. 537
Configure a local or remote SNMPv3 engineID	Configure a local or remote SNMPv3 engineID	Dkt. 332-2 at PDF p. 537
EngineID of the local agent	EngineID of the local agent	Dkt. 332-2 at PDF p. 537
EngineID of a remote agent	EngineID of a remote agent	Dkt. 332-2 at PDF p. 537
Text for mib object sysLocation	Text for mib object sysLocation	Dkt. 332-2 at PDF p. 538
The physical location of this node	The physical location of this node	Dkt. 332-2 at PDF p. 538
Define an SNMPv2 MIB view	Define an SNMPv2 MIB view	Dkt. 332-2 at PDF p. 538-539
MIB view family name	MIB view family name	Dkt. 332-2 at PDF p. 539
MIB family is included in the view	MIB family is included in the view	Dkt. 332-2 at PDF p. 539
MIB family is excluded from the view	MIB family is excluded from the view	Dkt. 332-2 at PDF p. 539
Define a user who can access the SNMP engine	Define a user who can access the SNMP engine	Dkt. 332-2 at PDF p. 539
Group to which the user belongs	Group to which the user belongs	Dkt. 332-2 at PDF p. 539-540

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Specify a remote SNMP entity to which the user belongs	Specify a remote SNMP entity to which the user belongs	Dkt. 332-2 at PDF p. 540
Authentication parameters for the user	Authentication parameters for the user	Dkt. 332-2 at PDF p. 540
Use HMAC MD5 algorithm for authentication	Use HMAC MD5 algorithm for authentication	Dkt. 332-2 at PDF p. 540-541
Use HMAC SHA algorithm for authentication	Use HMAC SHA algorithm for authentication	Dkt. 332-2 at PDF p. 541
User using the v1 security model	User using the v1 security model	Dkt. 332-2 at PDF p. 542
User using the v2c security model	User using the v2c security model	Dkt. 332-2 at PDF p. 542-543
User using the v3 security model	User using the v3 security model	Dkt. 332-2 at PDF p. 543-544
Define a User Security Model group	Define a User Security Model group	Dkt. 332-2 at PDF p. 544
Group using the v1 security model	Group using the v1 security model	Dkt. 332-2 at PDF p. 544-545
Group using the v2c security model	Group using the v2c security model	Dkt. 332-2 at PDF p. 545
Group using the User Security Model (SNMPv3)	Group using the User Security Model (SNMPv3)	Dkt. 332-2 at PDF p. 545
Context name	Context name	Dkt. 332-2 at PDF p. 546
Read view name	Read view name	Dkt. 332-2 at PDF p. 547
Specify a write view for the group	Specify a write view for the group	Dkt. 332-2 at PDF p. 547
write view name	write view name	Dkt. 332-2 at PDF p. 547
Specify a notify view for the group	Specify a notify view for the group	Dkt. 332-2 at PDF p. 547
Notify view name	Notify view name	Dkt. 332-2 at PDF p. 548
Specify hosts to receive SNMP notifications	Specify hosts to receive SNMP notifications	Dkt. 332-2 at PDF p. 548
Send Trap messages to this host	Send Trap messages to this host	Dkt. 332-2 at PDF p. 548
Send Inform messages to this host	Send Inform messages to this host	Dkt. 332-2 at PDF p. 548
SNMP version to use for notification messages	SNMP version to use for notification messages	Dkt. 332-2 at PDF p. 548-549
Port number	Port number	Dkt. 332-2 at PDF p. 550-553
Group number	Group number	Dkt. 332-2 at PDF p. 559-560

Cisco's HelpDesc	Arista's HelpDesc	Supporting Evidence In The Record
Set TACACS+ encryption key	Set TACACS+ encryption key	Dkt. 332-2 at PDF p. 561
Wait time (default 5 seconds)	Wait time (default 5 seconds)	Dkt. 332-2 at PDF p. 561
Specify a TACACS+ server	Specify a TACACS+ server	Dkt. 332-2 at PDF p. 562
Sequence Number	Sequence Number	Dkt. 332-2 at PDF p. 562
Select an interface to monitor	Select an interface to monitor	Dkt. 332-2 at PDF p. 562-566
User name	User name	Dkt. 332-2 at PDF p. 567
Virtual terminal	Virtual terminal	Dkt. 332-2 at PDF p. 568
No accounting	No accounting	Dkt. 332-2 at PDF p. 570
Topology information	Topology information	Dkt. 332-2 at PDF p. 571
Track an interface	Track an interface	Dkt. 332-2 at PDF p. 571
Brief output	Brief output	Dkt. 332-2 at PDF p. 571-572
Session information	Session information	Dkt. 332-2 at PDF p. 573
Global IPv6 configuration commands	Global IPv6 configuration commands	Dkt. 332-2 at PDF p. 581
IPv6 information	IPv6 information	Dkt. 332-2 at PDF p. 581-582
Clear platform information	Clear platform information	Dkt. 332-2 at PDF p. 582
Default VRF	Default VRF	Dkt. 332-2 at PDF p. 582-583